



All Rights Reserved. © Copyright 2016 DUALCO Inc.

DUALCO • 8404 Braniff, Houston, Texas 77061
713-644-1164 • FAX 713-644-7761
www.dualco-inc.com
E-Mail: dualco@dualco-inc.com

Environmentally 
Friendly & Non-Toxic.
Engineered & Made in the U.S.A.

Product Specification Sheet

Hot Dry Chain Lube™ with PTFE

DUALCO Hot Dry Chain Lube™ with PTFE (HDCL) will protect chains under hot, dry, dirty and wet conditions. This environmentally friendly material contains rust and oxidation inhibitor additives, and provides anti-wear protection. This Chain lube will perform very well in low and high temperatures, and is water resistant. Hot Dry Chain Lube™ with PTFE is used for dynamic lubrication between chain and sprocket. A fine film remains on the chain shortly after application. This product is non-toxic and does not have any known adverse effect on plastic, rubber or paint. **DO NOT** use this material in oxygen service.

Packaging

• DUALCO Hot Dry Chain Lube™ is available in various size dropper bottles and all sizes of bulk containers.

Physical Properties

- Made with Ecologically Safe Oil
- Color: Clear / Caramel-Tan
- Service Life: Extended
- Texture: Smooth
- Consistency: N / A
- Separation: Non Determined
- Temperature Range: -40° to 250° F
- Base Oils: Proprietary Synthetics
- Contains No Alcohol

Features

- Fully Synthetic
- Additive Treated
- Contains excellent Extreme Pressure Reducing Agents
- Reduces Friction at High and Low Temperatures
- Non-Toxic and Non-Drying
- Contains no perfumes, dyes, or heavy metals
- Non-Hazardous – Environmentally Friendly

Application Method

- Bottle Applicator, Brushing, Grease Gun or Automated Equipment (Air, Air/Hydraulic, Hydraulic or Manual)



The information and the recommendations made in this data sheet are based upon collected data and believed by us to be correct. However, no guarantee or warranty of any kind, expressed or implied is made herein with respect to the merchandise described; and we assume no responsibility for the results or the use thereof.

