



Valve Lubrication Adapter Kits

Dualco Valve Lubrication Adapter Kits are needed by qualified personnel to perform routine or emergency Valve Maintenance on Pipeline Valves in the field or at Pipeline Pump and Compressor Stations. Valve Maintenance is easier and cost effective with these kits.

Applications

Dualco Valve Lubrication Adapter Kits are necessary when these Valve Maintenance issues need to be resolved:

- Leaking valve lube sealant fittings
- Relieving fitting pressure
- Painted, damaged, or plugged fittings
- Fitting Conversions to Giant Button Heads
- Adapters are needed



Model 11575

Assembly List:

Model	Product Name	Qty
10488	Bleeder Plug • Ball Type, 1/2" NPT(m)	1
10585	Piggy Back Fitting Adapter • Standard Button Head Outlet	1
10720	Pressure Releasing Tool • 1" – 14 UNS(f) Connection	1
10733	Lubrication Adapter • GBH Fitting inlet x 1" -14 UNS(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)	1
10765	Piggy Back Fitting Adapter • Giant Button Head Fitting Inlet x Giant Button Head Coupler Outlet	1
10850	Giant Button Head Coupler • Heavy duty, pull, push or hook-on, nylon piston (Couples onto a 7/8" diameter button head fitting)	1
11102	Lubrication Adapter • GBH Fitting Inlet x 3/4" -16 UNF(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)	1
11104	Lubrication Adapter • GBH Fitting Inlet x 7/8" -14 UNF(f) outlet (1-1/16" lg. Nut), steel, zinc plate (4 piece assembly)	1
11386	Pressure Releasing Tool • 1/2" – 20(m) Connection, for Packing Injection Fittings	1
11495	Piggy Back Fitting Adapter • Vent Cap Fitting/Giant Button Head Inlet x Giant Button Head Coupler Outlet	1
11515	Piggy Back Fitting Adapter • Vent Cap Fitting/Giant Button Head Inlet x Standard Button Head Coupler Outlet	1
11580	M&J Packing Adapter • 7/16" – 20(m) with Vent Cap Fitting/Giant Button Head	1
11585	Daniel Packing Adapter • 1/2" – 20(m) with Vent Cap Fitting/Giant Button Head	1
11576	Rugged Heavy • Duty Case –Corrosion Resistant, Watertight • Lifetime Guarantee	1
■	Case Dimensions: 14" x 12" x 6" • Net Weight: 12 lb	1

■ A complete line of valve lube sealant fittings and accessories is available.

⚠ Operate with Caution and Safety.

Made in the USA





Valve Lubrication Adapter Kits

Dualco Valve Lubrication Adapter Kits are needed by qualified personnel to perform routine or emergency Valve Maintenance on Pipeline Valves in the field or at Pipeline Pump and Compressor Stations. Valve Maintenance is easier and cost effective with these kits.

Applications

Dualco Valve Lubrication Adapter Kits are necessary when these Valve Maintenance issues need to be resolved:

- Leaking valve lube sealant fittings
- Relieving fitting pressure
- Painted, damaged, or plugged fittings
- Fitting Conversions to Giant Button Heads
- Adapters are needed



Model 11680

Assembly List:

Model	Product Name	Qty
10437	Vent Cap Fitting -GBH, Single Check, 1"-14 UNS(m) x 1/4" NPT(m), 316 SS	1
10441	Vent Cap Fitting -GBH, Single Check, 1" -14 UNS(m) x 3/8" NPT(m), 316 SS	1
10445	Vent Cap Fitting -GBH, Single Check, 1"-14 UNS(m) x 1/2" NPT(m), 316 SS	1
10478	Injection Fitting -Single Check, 1/2" NPT(m), 316 SS	1
10490	Plug, Bleeder -Ball Type, 1/2" NPT(m), 316 SS	1
10585	Piggy Back Fitting Adapter, PB -GBH Fitting inlet x SBH Coupler outlet, steel, zinc plate	1
10640	Coupler, Pressure Release • 1/4" NPT(f) inlet with check valve x 1" -14 UNS(f) outlet, 4140, zinc plate (10695 used on discharge end)	1
10720	Pressure Releasing Tool • 1" -14 UNS(f) connection, steel, zinc plate	1
10733	Lubrication Adapter • GBH Fitting inlet x 1" -14 UNS(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)	1
10735	Fitting Adapter, PB -SBH Fitting inlet x SBH Coupler outlet, steel, zinc plate	1
10850	Giant Button Head Coupler • Heavy duty, pull, push or hook-on, nylon piston (Couples onto a 7/8" diameter button head fitting)	1
11102	Lubrication Adapter • GBH Fitting Inlet x 3/4" -16 UNF(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)	1
11104	Lubrication Adapter • GBH Fitting Inlet x 7/8" -14 UNF(f) outlet (1-1/16" lg. Nut), steel, zinc plate (4 piece assembly)	1
11576	Rugged Heavy • Duty Case -Corrosion Resistant, Watertight • Lifetime Guarantee	1

■ Case Dimensions: 14" x 12" x 6" • Net Weight: 12 lb

■ A complete line of valve lube sealant fittings and accessories is available.

⚠ Operate with Caution and Safety.

Made in the USA





Valve Lubrication Adapter Kits

Dualco Valve Lubrication Adapter Kits are needed by qualified personnel to perform routine or emergency Valve Maintenance on Pipeline Valves in the field or at Pipeline Pump and Compressor Stations. Valve Maintenance is easier and cost effective with these kits.

Applications

Dualco Valve Lubrication Adapter Kits are necessary when these Valve Maintenance issues need to be resolved:

- Leaking valve lube sealant fittings
- Relieving fitting pressure
- Painted, damaged, or plugged fittings
- Fitting Conversions to Giant Button Heads
- Adapters are needed



Model 11820

Assembly List:

Model	Product Name	Qty
10720	Pressure Releasing Tool • 1" -14 UNS(f) connection, steel, zinc plate	1
10733	Lubrication Adapter • GBH Fitting inlet x 1" -14 UNS(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)	2
11102	Lubrication Adapter • GBH Fitting Inlet x 3/4" -16 UNF(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)	1
11104	Lubrication Adapter • GBH Fitting Inlet x 7/8" -14 UNF(f) outlet (1-1/16" lg. Nut), steel, zinc plate (4 piece assembly)	1
11324	Adapter, Lubrication • GBH Fitting Inlet x 1" -14 UNS(f) outlet (1" lg. Nut) - Includes 90° Elbow, steel, zinc plate (5 piece assembly)	2
11578	Adapter, Packing • 1/4" NPT(f) inlet x 7/16"-20(m) outlet, steel, zinc plate	2
11579	Adapter, Packing • 1/4" NPT(f) inlet x 1/2"-20(m) outlet, steel, zinc plate	2
11585	Adapter, Packing • 1/2" -20 (m) with Vent Cap Fitting & Giant Button Head	2
11576	Rugged Heavy • Duty Case –Corrosion Resistant, Watertight • Lifetime Guarantee	1

■ Case Dimensions: 14" x 12" x 6" • Net Weight: 12 lb

■ A complete line of valve lube sealant fittings and accessories is available.

⚠ Operate with Caution and Safety.

Made in the USA

