



# Valve Lubrication Adapter Kits

Dualco Valve Lubrication Adapter Kits are needed by qualified personnel to perform routine or emergency Valve Maintenance on Pipeline Valves in the field or at Pipeline Pump and Compressor Stations. Valve Maintenance is easier and cost effective with these kits.

## Applications

Dualco Valve Lubrication Adapter Kits are necessary when these Valve Maintenance issues need to be resolved:

- Leaking valve lube sealant fittings
- Relieving fitting pressure
- Painted, damaged, or plugged fittings
- Fitting Conversions to Giant Button Heads
- Adapters are needed



## Model 11575

### Assembly List:

| Model | Product Name   | Qty |
|-------|--|-----|
| 10488 | Bleeder Plug • Ball Type, 1/2" NPT(m)  | 1   |
| 10585 | Piggy Back Fitting Adapter • Standard Button Head Outlet   | 1   |
| 10720 | Pressure Releasing Tool • 1" – 14 UNS(f) Connection  | 1   |
| 10733 | Lubrication Adapter • GBH Fitting inlet x 1" -14 UNS(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)              | 1   |
| 10765 | Piggy Back Fitting Adapter • Giant Button Head Fitting Inlet x Giant Button Head Coupler Outlet                                | 1   |
| 10850 | Giant Button Head Coupler • Heavy duty, pull, push or hook-on, nylon piston (Couples onto a 7/8" diameter button head fitting) | 1   |
| 11102 | Lubrication Adapter • GBH Fitting Inlet x 3/4" -16 UNF(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)            | 1   |
| 11104 | Lubrication Adapter • GBH Fitting Inlet x 7/8" -14 UNF(f) outlet (1-1/16" lg. Nut), steel, zinc plate (4 piece assembly)       | 1   |
| 11386 | Pressure Releasing Tool • 1/2" – 20(m) Connection, for Packing Injection Fittings  | 1   |
| 11495 | Piggy Back Fitting Adapter • Vent Cap Fitting/Giant Button Head Inlet x Giant Button Head Coupler Outlet                       | 1   |
| 11515 | Piggy Back Fitting Adapter • Vent Cap Fitting/Giant Button Head Inlet x Standard Button Head Coupler Outlet                    | 1   |
| 11580 | M&J Packing Adapter • 7/16" – 20(m) with Vent Cap Fitting/Giant Button Head  | 1   |
| 11585 | Daniel Packing Adapter • 1/2" – 20(m) with Vent Cap Fitting/Giant Button Head  | 1   |
| 11576 | Rugged Heavy • Duty Case –Corrosion Resistant, Watertight • Lifetime Guarantee   | 1   |
| 12068 | Utility Nipple • 1/2" NPT(m) x 6" Long   | 1   |

■ Case Dimensions: 14" x 12" x 6" • Net Weight: 12 lb

■ A complete line of valve lube sealant fittings and accessories is available.

⚠ Operate with Caution and Safety.

Made in the USA





## Valve Lubrication Adapter Kits

Dualco Valve Lubrication Adapter Kits are needed by qualified personnel to perform routine or emergency Valve Maintenance on Pipeline Valves in the field or at Pipeline Pump and Compressor Stations. Valve Maintenance is easier and cost effective with these kits.

### Applications

Dualco Valve Lubrication Adapter Kits are necessary when these Valve Maintenance issues need to be resolved:

- Leaking valve lube sealant fittings
- Relieving fitting pressure
- Painted, damaged, or plugged fittings
- Fitting Conversions to Giant Button Heads
- Adapters are needed



## Model 11680

### Assembly List:

| Model | Product Name  | Qty |
|-------|---|-----|
| 10437 | Vent Cap Fitting -GBH, Single Check, 1"-14 UNS(m) x 1/4" NPT(m), 316 SS   | 1   |
| 10441 | Vent Cap Fitting -GBH, Single Check, 1" -14 UNS(m) x 3/8" NPT(m), 316 SS  | 1   |
| 10445 | Vent Cap Fitting -GBH, Single Check, 1"-14 UNS(m) x 1/2" NPT(m), 316 SS   | 1   |
| 10478 | Injection Fitting -Single Check, 1/2" NPT(m), 316 SS  | 1   |
| 10490 | Plug, Bleeder -Ball Type, 1/2" NPT(m), 316 SS   | 1   |
| 10585 | Piggy Back Fitting Adapter, PB -GBH Fitting inlet x SBH Coupler outlet, steel, zinc plate   | 1   |
| 10640 | Coupler, Pressure Release • 1/4" NPT(f) inlet with check valve x 1" -14 UNS(f) outlet, 4140, zinc plate (10695 used on discharge end) | 1   |
| 10720 | Pressure Releasing Tool • 1" -14 UNS(f) connection, steel, zinc plate   | 1   |
| 10733 | Lubrication Adapter • GBH Fitting inlet x 1" -14 UNS(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)                     | 1   |
| 10735 | Fitting Adapter, PB -SBH Fitting inlet x SBH Coupler outlet, steel, zinc plate  | 1   |
| 10850 | Giant Button Head Coupler • Heavy duty, pull, push or hook-on, nylon piston (Couples onto a 7/8" diameter button head fitting)        | 1   |
| 11102 | Lubrication Adapter • GBH Fitting Inlet x 3/4" -16 UNF(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)                   | 1   |
| 11104 | Lubrication Adapter • GBH Fitting Inlet x 7/8" -14 UNF(f) outlet (1-1/16" lg. Nut), steel, zinc plate (4 piece assembly)              | 1   |
| 11576 | Rugged Heavy • Duty Case -Corrosion Resistant, Watertight • Lifetime Guarantee  | 1   |
| 12068 | Utility Nipple • 1/2" NPT(m) x 6" Long  | 1   |

■ Case Dimensions: 14" x 12" x 6" • Net Weight: 12 lb

■ A complete line of valve lube sealant fittings and accessories is available.

⚠ Operate with Caution and Safety.

Made in the USA





# Valve Lubrication Adapter Kits

Dualco Valve Lubrication Adapter Kits are needed by qualified personnel to perform routine or emergency Valve Maintenance on Pipeline Valves in the field or at Pipeline Pump and Compressor Stations. Valve Maintenance is easier and cost effective with these kits.

## Applications

Dualco Valve Lubrication Adapter Kits are necessary when these Valve Maintenance issues need to be resolved:

- Leaking valve lube sealant fittings
- Relieving fitting pressure
- Painted, damaged, or plugged fittings
- Fitting Conversions to Giant Button Heads
- Adapters are needed




## Model 11820

### Assembly List:

| Model | Product Name   | Qty |
|-------|--|-----|
| 10720 | Pressure Releasing Tool • 1" -14 UNS(f) connection, steel, zinc plate  | 1   |
| 10733 | Lubrication Adapter • GBH Fitting inlet x 1" -14 UNS(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)                          | 2   |
| 11102 | Lubrication Adapter • GBH Fitting Inlet x 3/4" -16 UNF(f) outlet (1" lg. Nut), steel, zinc plate (4 piece assembly)                        | 1   |
| 11104 | Lubrication Adapter • GBH Fitting Inlet x 7/8" -14 UNF(f) outlet (1-1/16" lg. Nut), steel, zinc plate (4 piece assembly)                   | 1   |
| 11324 | Adapter, Lubrication • GBH Fitting Inlet x 1" -14 UNS(f) outlet (1" lg. Nut)<br>- Includes 90° Elbow, steel, zinc plate (5 piece assembly) | 2   |
| 11578 | Adapter, Packing • 1/4" NPT(f) inlet x 7/16"-20(m) outlet, steel, zinc plate   | 2   |
| 11579 | Adapter, Packing • 1/4" NPT(f) inlet x 1/2"-20(m) outlet, steel, zinc plate  | 2   |
| 11585 | Adapter, Packing • 1/2" -20 (m) with Vent Cap Fitting & Giant Button Head  | 2   |
| 11576 | Rugged Heavy • Duty Case –Corrosion Resistant, Watertight • Lifetime Guarantee   | 1   |
| 12068 | Utility Nipple • 1/2" NPT(m) x 6" Long   | 1   |

■ Case Dimensions: 14" x 12" x 6" • Net Weight: 12 lb

■ A complete line of valve lube sealant fittings and accessories is available.

 Operate with Caution and Safety.

**Made in the USA**

